

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	7920	(717/116 or 707/102 or 707/103)". class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 13:26
S2	671	S1 and ((class\$2 near5 (parent or child)) or superclass\$2 or sub?class\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 13:29
S3	203	S2 and ((add\$3 or new or defin\$3 or declar\$3) with (attribute\$1 or variable\$1 or field\$1 or propt\$3) with instance\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:11
S4	114	S3 and ((attribute\$1 or variable\$1 or field\$1 or propt\$3 or instance\$1) with database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 13:32
S5	90	S4 and (relational near3 database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 13:32
S6	87	S5 and (table\$1 and (attribute\$1 or instance\$1 or variable\$1 or field\$1 or propt\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:10
S7	32	S6 and (hash with table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 13:35
S8	1	S7 and ((hash with table\$1) with class\$2 with (instance\$1 or object\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 13:35
S9	1	S2 and (((child adj2 class\$2) or sub?class\$2) with (new near3 (attribute\$1 or variable\$1 or field\$1 or propt\$3 or member\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:25
S10	9	S1 and ((different adj2 instances) with (different adj2 (attribute\$1 or field\$1 or variable\$1 or propt\$3 or member\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:28

S11	7929	(717/116 or 707/102 or 707/103)". class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 12:18
S12	186	(class\$2 with (instance\$1 or object\$1)) same ((stor\$3 or sav\$3 or record\$3 or writ\$3) with (object\$1 or instance\$1) with (relational adj2 database\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:15
S13	69	S11 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 13:14
S14	31	(class\$2 with (instance\$1 or object\$1)) same ((hash adj2 table\$1) with (variable\$1 or member\$1 or attribute\$1 or propert\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:49
S15	19	(class\$2 with (instance\$1 or object\$1)) same ((hash adj2 table\$1) with (variables or members or attributes or properties))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:51
S16	12	(class\$2 with (instance\$1 or object\$1) with (hash adj2 table\$1)) same ((hash adj2 table\$1) with (variables or members or attributes or properties))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:52